



## TRION 740 - Tier 4

- Combine harvester with APS HYBRID
- Output 320 kW/435 hp (ECE R 120) - Tier 4, urea tank 100 l
- MULTICROP threshing unit, threshing drum width 1,420 mm, threshing drum diameter 600 mm
- ROTO PLUS secondary separation, rotor diameter 1 x 570 mm
- JET STREAM cleaning, electric sieve adjustment, 6-way turbine fan
- CEBIS control and display system



Details of the selected product

Option	Description	Price
<b>Front Attachment Drive &amp; Intake</b>		
MD_B06/0069	Front attachment drive XL, variable , cam clutch	Standard
MD_B10/0230	+ HP feeder housing - AUTO CONTOUR, belt, guide roller closed	4,861 USD
<b>Separation &amp; Cleaning</b>		
MD_C02/0122	APS threshing system - maize (19/19/19), PREMIUM LINE	Standard
MD_C04/0058	Threshing drum drive, 2-stage - 180-450 / 400-1,050 rpm, man.	Standard
MD_C03/0165	+ Conversion Kit - PreConcave Soybeans, (12x40, smooth)	954 USD
MD_D10/0130	ROTO PLUS Standard 4/6	Standard
MD_E04/0041	JET STREAM cleaning, incl. 3D	Standard
MD_E14/0040	Upper and lower sieve, CB22	Standard
<b>Grain Tank &amp; Unloading Auger Tube</b>		
MD_F02/0321	Grain tank 12,000 litres, PREMIUM LINE	Standard
MD_F06/0245	Grain tank unloading tube 4XL, Ø 330 mm, PREMIUM LINE	Standard
MD_F08/0082	Grain tank unloading 130 l/s, PREMIUM LINE	Standard
<b>Straw Management</b>		
MD_G02/0497	+ Power spreader grain/maize - SPECIAL CUT, PREMIUM LINE	20,361 USD
MD_G08/0016	+ Straw chopper drive for power spreader - Comfort Plus	0 USD
<b>Chassis &amp; Tyres</b>		
MD_N02/0405	Drive axle L1 - electro-hydraulic shift, differential lock	Standard
MD_N04/0627	+ Twin tyres 580/85 R42 168D + Spacer 30"	20,152 USD
MD_N08/0920	+ POWER TRAC steering drive axle M, adjustable	35,054 USD
MD_N10/0476	Steering axle tyres 710/60 R30 x 275 IMP, 8-hole	Standard
<b>Cabin &amp; Comfort</b>		
MD_Q10/0130	+ Premium seat - leather, air-suspended	5,204 USD
MD_Q03/0320	+ Roller sun blinds for side windows	0 USD
MD_Q03/0240	+ Radio sound system, incl. subwoofer	0 USD
MD_Q12/0140	+ Work lighting LED - Premium incl. long-range work light	3,154 USD



### Operator Assistance Systems

MD_E10/0030		GRAINMETER incl. returns volume measurement with CEBIS display	Standard
MD_Q15/0110	+	CEMOS AUTOMATIC - CRUISE PILOT	5,329 USD
MD_Q15/0035		CEMOS AUTOMATIC - demo version 50h	Standard
MD_Q15/0060		CEMOS AUTOMATIC - AUTO CROP FLOW	Standard
MD_Q07/0360	+	Camera - rear, display on terminal	1,527 USD
MD_Q07/0390	+	Camera - grain tank unloading tube, PROFI CAM display	1,483 USD
MD_Q07/0392	+	Camera screen - PROFI CAM	1,348 USD
MD_Q13/0202		Steering interface ready	Standard
MD_Q13/0173	+	AgLeader prepared	6,741 USD

### Data Management

MD_Q36/0050		Machine connect licence – 5 years	Standard
MD_Q08/0011		QUANTIMETER yield measurement	Standard
MD_Q09/0198		CLAAS Remote Service inc. five-year licence	Standard

### Additional Equipment

MD_P03/0039	+	Cold-start system	158 USD
MD_P02/2075		Cummins L 9 - 320 kW/435 hp (Stage V)	Standard
MD_S04/0010	+	Tool box standard	521 USD

Total List Price<sup>1</sup> **655,681 USD**

### MAXI CARE

MC_CON/2908		Protect 1+2 years 400 hr/yr (1200 hr) / ded./exc. 250 USD - Individual warranty extension - Costs covered as in a standard warranty case - CLAAS ORIGINAL spare parts, operating materials and lubricants - Includes labour costs - Includes an excess, depending on the type of contract - Optionally extendable	11,409 USD
-------------	--	---	------------

+ MAXI CARE Includes an extended warranty<sub>1</sub> **11,409 USD**



**CLAAS Code: CCUVAAM4**

With the CLAAS code, you can call up your configuration in the configurator at a later time or retrieve it again at your CLAAS sales partner. Please note that the code may lose its validity in case of changes to the product range or the price list.

1) All prices shown are recommended prices of CLAAS KGaA mbH for authorised CLAAS sales partners and are exclusive of applicable VAT, packaging and freight costs. The configuration is merely intended as non-binding general information. Please contact a CLAAS sales partner for a specific offer, additional details and comprehensive consultancy. Prices are subject to changes. Errors excepted.

2) The CLAAS code refers to a stored configuration, which can be retrieved from the configurator. If you generate a PDF file, for example, the configuration is saved anonymously at the same time. CLAAS sales partners can load this configuration using the CLAAS code and provide further consultancy to you. Please note that the code may expire if the product range or price list is updated.

3) The machines shown feature some optional equipment that is subject to additional costs and differs from your personal configuration. The configuration is merely intended as non-binding general information and cannot replace comprehensive, individual consultancy for a purchase decision. The technical features and equipment shown for the configured machine are merely examples, and such features and equipment may be subject to country-specific variations, above all. The right to make modifications at any time is reserved. Please always consult your CLAAS authorised dealer or importer as the sole source of binding, current information on our vehicles' technical features, equipment or properties.

All information is based on local market characteristics.